© C&D WOOD







"At C&D WOOD, we are committed to delivering high-quality products, exceptional service, and on-time delivery to ensure complete customer satisfaction".



- 1 Wood Veneered MDF
- **2** Wood Veneer Faced Plywood
- 3 Wood Veneered Chipboard
- 4 Wood Veneered Blockboard
- **5** Customized Wood Veneered Boards



Wood Veneered MDF









Common Brown MDF

Fire Rated MDF

Moisture Resistant MDF

Black MDF

MDF Board Size: 1220x2440mm (4x8 ft), 1220x2750mm (4x9 ft), 1220x3050mm (4x10 ft),

MDF Boards Thickness: 2.5mm, 3mm, 5mm, 6mm, 9mm, 12mm, 15mm, 18mm, 20mm, 22mm, 25mm

Density: 650-1080KGS/CBM

Moisture: 8%-12%

Wood Core : Pine, Poplar, Hardwood mixed



Red Oak Veneer



White oak veneer



Walnut Veneer



Teak Veneer



Pine Veneer



Ash Veneer



EV. Oak Veneer



EV. Walnut Veneer



EV. Grey Veneer



EV. Ebony Veneer



EV. Ash Veneer

Contact with our sales team for more options of Wood Veneer, Melamine, HPL, PET



Wood Veneer Faced Plywood









Poplar core Plywood

Eucalyptus Plywood

Marine Plywood

Birch Plywood

Plywood Board Size: 1220x2440mm (4x8 ft), 1220x2750mm (4x9 ft), 1220x3050mm (4x10 ft),

Plywood Boards Thickness: 2.5mm, 3mm, 5mm, 6mm, 9mm, 12mm, 15mm, 18mm, 20mm, 22mm, 25mm

Glue: MR/Melamine/WBP Phenolic

4 Moisture: 8%-12%

Wood Core: Poplar, Eucalyptus, Hardwood mixed, Birch













Red Oak Veneer

White oak veneer

Walnut Veneer

Teak Veneer

Pine Veneer

Ash Veneer











EV. Oak Veneer

EV. Walnut Veneer

EV. Grey Veneer

EV. Ebony Veneer

EV. Ash Veneer

Contact with our sales team for more options of Wood Veneer, Melamine, HPL, PET



Wood Veneered Chipboard









Common Chipboard

Fire Rated Chipboard

Moisture Resistant Chipboard

Hollow Core Chipboard

1

Chipboard Size:

1220x2440mm (4x8 ft), 920x2150mm (3x7 ft), customized

2

ChipBoards Thickness:

9mm, 12mm, 15mm, 18mm, 20mm, 25mm, 44mm

3

Glue: CARB P2 / E0 / E1 / E2

4

8%-12%

(5)

Poplar, Hardwood mixed, Pine







Moisture:

Wood Core:

White oak veneer



Walnut Veneer



Teak Veneer



Pine Veneer



Ash Veneer



EV. Oak Veneer



EV. Walnut Veneer



EV. Grey Veneer



EV. Ebony Veneer



EV. Ash Veneer

Contact with our sales team for more options of Wood Veneer, Melamine, HPL, PET




Wood Veneered Blockboard









Poplar core Blockboard

Pine core Blockboard

Falcata core Blockboard

Fir core Blockboard

1

Blockboard Size:

1220x2440mm (4x8 ft), customized

2

Blockboards Thickness:

12mm, 15mm, 18mm, 20mm, 25mm

(3)

Glue : CARB P2 / E0 / E1 / E2

4

Moisture: 8%-12%

5

Poplar, Fir, Falcata, Pine



Wood Core:







Red Oak Veneer

White oak veneer

Walnut Veneer

Teak Veneer


Pine Veneer

Ash Veneer











EV. Oak Veneer

EV. Walnut Veneer

EV. Grey Veneer

EV. Ebony Veneer

EV. Ash Veneer


Contact with our sales team for more options of Wood Veneer, Melamine, HPL, PET



Customized Wood Veneered Boards







Thick Veneer Faced Board

Milled Wall Board

Customized Wall Board

Boards Size: 1220x2440mm (4x8 ft), customized

Boards Thickness: 12mm, 15mm, 18mm, 20mm, 25mm

Glue: Eo / E1 / E2

Top Layer Veneer: 2mm, 3mm, 5mm thick natural/engineered veneers

Wood Base: Plywood, MDF



Red Oak Veneer



White oak veneer



Walnut Veneer



Teak Veneer



Pine Veneer



Ash Veneer



EV. Oak Veneer



EV. Walnut Veneer



EV. Grey Veneer



EV. Ebony Veneer



EV. Ash Veneer

Contact with our sales team for more options of Wood Veneer



5 Main Types of Wood Veneer

- Wood Veneered MDF
- Wood Veneered Plywood
- Wood Veneered Chipboard
- Wood Veneered Blockboard
- Customized Wood Veneered Boards



C&D Materials Limited

No.288, Dongzhi St, Luoshe, Huzhou, Zhejiang, 313200 CHINA TEL: +86-572-822-9896

MOB: + 86-139-8980-6466

Email: sales@woodenave.com Website: www.woodenave.com